
COVID-19 Risk Dial & Community Guidance (Moderate)





COVID Yellow: Moderate Risk of COVID-19 SpreadGuidance for Persons who are **Fully Vaccinated**

| Vaccinated General Public | Outside the Home – Work, School, In Public | At Home |
|---|---|---|
| Physical Distancing Fully Vaccinated | No distancing is required, resume normal work and community life Follow <u>CDC Travel Guidelines</u> | No distancing for people without symptoms, unless they are under quarantine |
| Face Masks Fully Vaccinated | No face masks necessary, unless required by law, business policy, or in a medical setting Wear a face mask if symptomatic | No face masks for people without symptoms, unless they are under quarantine Face masks for symptomatic people |
| Hand Washing Fully Vaccinated | Frequently wash hands for at least 20 seconds, especially after touching high contact surfaces, sneezing/coughing/touching face, or before eating Use hand sanitizer when handwashing is inaccessible or infeasible | Frequently wash hands for at least 20 seconds, especially after touching high contact surfaces, sneezing/coughing/ touching face, or before eating |
| Illness Monitoring Fully Vaccinated | If ill with Flu-like or COVID-like symptoms, wear a mask, get tested, Stay at Home, and contact your health care provider Minimize contact with symptomatic people | Be aware of COVID-like symptoms If ill with COVID-like symptoms, wear a mask, stay away from others in your home, get tested and your contact health care provider |
| Disinfecting Fully Vaccinated | Increased awareness of germ transmission through high contact surfaces Avoid bare hand contact with any high touch surface Use barrier such as paper towel or clothing when bare hand contact is unavoidable Wash hands or apply sanitizer after touching high contact surfaces Normal disinfection, especially for high contact surfaces (handles, switches, etc.) | Increased awareness of germ transmission through high contact surfaces Normal disinfection practices, with consideration for high contact surfaces (handles, switches, etc.) |
| Fully Vaccinated At- Risk or Vulnerable Persons | For those over age 65, people with underlying health conditions, and other Even if you are fully vaccinated, you should consult with your health of you should take | • • |

COVID Yellow: Moderate Risk of COVID-19 Spread Guidance for Persons who are <u>Unvaccinated</u>

| Unvaccinated General Public | Outside the Home – Work, School, In Public | At Home |
|--|--|---|
| Get Vaccinated <u>Vaccine Info</u> | Get vaccinated as soon as possible Vaccine Info | Get vaccinated as soon as possible Vaccine Info |
| Physical Distancing Unvaccinated | Distance at least 6 feet from anyone outside the home Outdoor Activities such as walking, biking, etc. are okay Cautious expansion of interactions with others, outdoor activities preferred Gatherings only with modifications for COVID-19 Follow CDC Travel Guidelines | No distancing for people without symptoms, unless they are under quarantine |
| Face Masks Unvaccinated | Wear a face masks in indoor settings when unable to distance Wear a face mask if symptomatic | No face mask for people without symptoms, unless they are under quarantine Face masks for symptomatic people |
| Hand Washing Unvaccinated | Frequently wash hands for at least 20 seconds, especially after touching high contact surfaces, sneezing/coughing/touching face, or before eating Use hand sanitizer when handwashing is inaccessible or infeasible | Frequently wash hands for at least 20 seconds, especially after touching high contact surfaces, sneezing/coughing/touching face, or before eating |
| Illness Monitoring Unvaccinated | If ill with Flu-like or COVID-like symptoms, wear a mask, get tested, Stay at Home, and contact your health care provider Minimize contact with symptomatic people | Be aware of COVID-like symptoms If ill with COVID-like symptoms, wear a mask, stay away from others in your home, get tested and your contact health care provider |
| Disinfecting Unvaccinated | Avoid bare hand contact with any high touch surface Use barrier such as paper towel or clothing when bare hand contact is unavoidable Wash hands or apply sanitizer after touching high contact surfaces Enhanced disinfection, especially for high contact surfaces (handles, switches, etc.) | Enhanced disinfection, especially for high contact surfaces (handles, switches, etc.) |
| Unvaccinated At-Risk or Vulnerable Persons | For those over age 65, people with underlying health conditions, and other populations at heightened risk from COVID-19: Consult with your health care provider about vaccination and other protective actions you should take Stay home when possible, rely on help for needs outside the home, distance from those working outside of the home | |